



Meridian Bioscience

2018-2019 Diagnostics
Product Catalog

meridian BIOSCIENCE™
LIFE DISCOVERED. LIFE DIAGNOSED.

Redefining possibilities of life from discovery to diagnosis

Meridian is a fully integrated life science company that develops, manufactures, markets and distributes a broad range of innovative diagnostic products. We are dedicated to developing and delivering better solutions that give answers with speed, accuracy and simplicity that are redefining the possibilities of life from discovery to diagnosis.

Through discovery and development, we provide critical life science raw materials used in immunological and molecular tests for human, animal, plant, and environmental applications. Through diagnosis, we provide diagnostic solutions in the areas such as gastrointestinal and upper respiratory infections and blood lead level testing.

We work harder every day to build relationships and provide solutions to hospitals, reference laboratories, research centers, veterinary testing centers, physician offices, diagnostics manufacturers, and biotech companies in more than 70 countries around the world.

TABLE OF CONTENTS

MOLECULAR

illumigene/Alethia by Meridian Bioscience	1
<i>C. difficile</i>	1
Group A <i>Streptococcus</i>	1
Group B <i>Streptococcus</i>	1
HSV 1&2	2
Mycoplasma Direct	2
Pertussis	2

RESEARCH USE ONLY PRODUCTS

illumigene/Alethia Malaria	3
----------------------------------	---

IMMUNOASSAYS

<i>Clostridium difficile</i>	4
Cryptococcal Antigen and <i>Coccidioides</i>	4
Cryptosporidium/Giardia	4
Foodborne – STEC	5
Foodborne– <i>Campylobacter</i>	5
<i>Helicobacter pylori</i>	5
Fungal Immunodiffusion and Complement Fixation	6

IMMUNOASSAYS continued

Immunology – EBV	6
Mononucleosis	7
Pregnancy	7
Respiratory	7
Rotavirus/Adenovirus	8
Streptococcus	8
Viral DFAs	8

LEADCARE

LeadCare II	9
LeadCare Ultra	9
LeadCare Plus	9

PARASITOLOGY

Para-Pak® Stool Transport Vials	10
Para-Pak® Parasitology Stains	13
Para-Pak® Stool Concentration Systems	14

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
R=Refrigerated
RT=Room Temp

● **Specimen Type**

A = Nasal Aspirate; **B** = Bronchoalveolar lavage; **C** = Culture; **CC** = Cell Culture; **CF** = Cerebrospinal Fluid; **CT** = Cutaneous; **IS** = Induced Sputum; **MC** = Mucocutaneous; **NS** = Nasal Swab; **NP** = Nasopharyngeal Swab; **NW** = Nasal Wash; **P** = Plasma; **S** = Stool; **SB** = Smears & Biopsy; **SC** = Stool Culture; **SE** = Serum; **SW** = Swab; **TS** = Throat Swab; **U** = Urine; **WB** = Whole Blood

MOLECULAR

illumigene *C. difficile*/Alethia™ *C. difficile*

	MERIDIAN CATALOG #
illumigene <i>C. difficile</i> Assay	280050
Alethia™ <i>C. difficile</i> Assay	480050
<i>Molecular assay that utilizes LAMP technology for detection of toxigenic C. difficile directly in stool samples.</i>	
50 Tests	18 R RT S
illumigene <i>C. difficile</i> External Control Kit	279920
Alethia™ <i>C. difficile</i> External Control Kit	479920
18 Uses Each	18 R

illumigene Group A *Streptococcus*/Alethia Group A *Streptococcus*

	MERIDIAN CATALOG #
illumigene Group A <i>Streptococcus</i> Assay	280150
Alethia™ Group A <i>Streptococcus</i> Assay	480150
<i>Molecular assay that utilizes LAMP technology for detection of Group A Streptococcus directly in throat swab specimens</i>	
50 Tests	18 R RT TS
illumigene Group A <i>Streptococcus</i> External Control Kit	279910
Alethia™ Group A <i>Streptococcus</i> External Control Kit	479910
18 Uses Each	18 R

illumigene Group B *Streptococcus*/Alethia Group B *Streptococcus*

	MERIDIAN CATALOG #
illumigene Group B <i>Streptococcus</i> Assay	280350
Alethia™ Group B <i>Streptococcus</i> Assay	480350
<i>Molecular assay that utilizes LAMP technology for detection of Group B Streptococcus from enriched vaginal/rectal antepartum swab specimens</i>	
50 Tests	18 R RT SW
illumigene Group B <i>Streptococcus</i> External Control Kit	279900
Alethia™ Group B <i>Streptococcus</i> External Control Kit	479900
18 Uses Each	18 R

illumigene HSV 1&2/Alethia HSV 1&2

	MERIDIAN CATALOG #
illumigene HSV 1&2 Assay	280650
Alethia™ HSV 1&2 Assay	480650
<i>Molecular assay that utilizes LAMP technology for detection of and differentiation of Herpes Simplex Virus Type 1 (HSV-1) and Herpes Simplex Virus Type 2 (HSV-2) in cutaneous and mucocutaneous specimens</i>	
25 HSV-1 Tests/25 HSV-2 Tests	18 R RT CT MC
illumigene HSV 1&2 External Control Kit	279960
Alethia™ HSV 1&2 External Control Kit	479960
36 Uses Each	18 R

illumigene Mycoplasma Direct/Alethia Mycoplasma Direct

	MERIDIAN CATALOG #
illumigene Mycoplasma Direct Assay	280250
Alethia™ Mycoplasma Direct Assay	480250
<i>Molecular assay that utilizes LAMP technology for detection of Mycoplasma pneumoniae in throat swab specimens</i>	
50 Tests	18 R RT TS
illumigene Mycoplasma Direct External Control Kit	279890
Alethia™ Mycoplasma Direct External Control Kit	479890
18 Uses Each	24 R

illumigene Pertussis/Alethia Pertussis

	MERIDIAN CATALOG #
illumigene Pertussis Assay	280750
Alethia™ Pertussis Assay	480750
<i>Molecular assay that utilizes LAMP technology for detection of Bordetella pertussis in nasopharyngeal swab specimens</i>	
50 Tests	18 R RT NP
illumigene Pertussis External Control Kit	279930
Alethia™ Pertussis External Control Kit	479930
18 Uses Each	18 R

Alethia catalog numbers will be available after December 2018

-To place an order, call your preferred distributor or talk to your Meridian product specialist at 1888.763.6769
www.meridianbioscience.com

Alethia catalog numbers will be available after December 2018

-To place an order, call your preferred distributor or talk to your Meridian product specialist at 1888.763.6769
www.meridianbioscience.com

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
 R=Refrigerated
 RT=Room Temp

● **Specimen Type**
 A = Nasal Aspirate; B = Bronchoalveolar lavage; C = Culture; CC = Cell Culture; CF = Cerebrospinal Fluid; CT = Cutaneous; IS = Induced Sputum; MC = Mucocutaneous; NS = Nasal Swab; NP = Nasopharyngeal Swab; NW = Nasal Wash; P = Plasma; S = Stool; SB = Smears & Biopsy; SC = Stool Culture; SE = Serum; SW = Swab; TS = Throat Swab; U = Urine; WB = Whole Blood

RESEARCH USE ONLY PRODUCTS

BY MERIDIAN BIOSCIENCE

These products are for research use only, not for use in diagnostic procedures.

illumigene Malaria/Alethia Malaria

illumigene Malaria Research Use Only (RUO)

MERIDIAN CATALOG #
280925RUO

Alethia™ Malaria Research Use Only (RUO)

480925RUO

Research Use Only molecular assay that utilizes LAMP technology for the direct detection of *Plasmodium sp. vivax, falciparum, malarieae, ovale, knowlesi* DNA from whole blood samples.

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

25 Tests

illumigene Malaria PLUS Research Use Only (RUO)

28T125RUO

Alethia™ Malaria PLUS Research Use Only (RUO)

48T125RUO

Research Use Only molecular assay that utilizes LAMP technology for the direct detection of *Plasmodium sp. vivax, falciparum, malarieae, ovale, knowlesi* DNA from whole blood samples. Includes M-prep as a nucleic acid purification step.

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

25 Tests

illumigene Malaria External Control Research Use Only (RUO)

279970RUO

Alethia™ Malaria External Control Research Use Only (RUO)

479970RUO

18 Tests

IMMUNOASSAYS



Clostridium difficile

Premier® *C. difficile* GDH

EIA for the detection of *C. difficile* common antigen (GHD) in stool specimens

96 Tests Each 18 R S

MERIDIAN CATALOG #

6T1096

Immunocard® *C. difficile* GDH

Rapid EIA for the detection of *C. difficile* common antigen (GHD) in stool specimens

50 Tests Each 18 R S

716050

Immunocard® Toxins A&B

Rapid EIA for the detection of *C. difficile* toxins A&B in stool specimens

50 Tests Each 24 R S


712050

Premier® Toxins A&B

ELISA for the detection of *C. difficile* toxins A&B in stool specimens

96 Tests Each 18 R S

616096



Cryptococcal Antigen and Coccidioides

Cryptococcal Antigen Latex Agglutination System (CALAS)®

Qualitative and semi-quantitative latex test for the detection of capsular polysaccharide antigens of *Cryptococcus neoformans*

50-100 Tests Each 18 R SE CF

MERIDIAN CATALOG #

140100

CALAS® Pronase

Pre-treatment reagent to reduce non-specific interference with Cryptococcal Antigen Latex test

5 Vials Each (2.5 ml each) 18 R

140050

Premier® Cryptococcal Antigen

Qualitative or a semi-quantitative EIA for the detection of capsular polysaccharide antigens of *Cryptococcus neoformans*

192 Tests Each 14 R SE CF

602096

Premier® Coccidioides

EIA for the qualitative detection of IgM and IgG antibodies directed against the "TP" and "CF" antigens of *Coccidioides immitis*

96 Tests Each 14 R SE CF

603096



Cryptosporidium/Giardia

Immunocard® Cryptosporidium/Giardia

Rapid immunoassay for the qualitative detection of *Cryptosporidium parvum* and *Giardia lamblia* antigens

30 Tests Each 11 R S

MERIDIAN CATALOG #

750830

Immunocard® Cryptosporidium/Giardia

16 Uses Each 9 R

750820

Merifluor® Cryptosporidium/Giardia

DFA for the detection of *Cryptosporidium* oocysts and *Giardia* cysts

50 Tests Each 18 R S

250050

Merifluor® Microscope Treated Slides

Pre-treated microscope slides

25 Slides Each 24 RT

R2206

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
R=Refrigerated
RT=Room Temp

● Specimen Type

A = Nasal Aspirate; B = Bronchoalveolar lavage; C = Culture; CC = Cell Culture; CF = Cerebrospinal Fluid; CT = Cutaneous; IS = Induced Sputum; MC = Mucocutaneous; NS = Nasal Swab; NP = Nasopharyngeal Swab; NW = Nasal Wash; P = Plasma; S = Stool; SB = Smears & Biopsy; SC = Stool Culture; SE = Serum; SW = Swab; TS = Throat Swab; U = Urine; WB = Whole Blood



Foodborne – Shiga toxin-producing *E. coli*(STEC)

MERIDIAN CATALOG #

Immucard STAT!® EHEC Rapid immunoassay for the differentiated detection of Enterohemorrhagic <i>E. coli</i> Shiga toxins 1 & 2 from broth culture or colony sweep	751630
30 Tests Each 24 R S SC	
Premier® EHEC EIA for the detection of Enterohemorrhagic <i>E. coli</i> Shiga toxins 1 & 2 directly from stool specimens or colony sweeps	608096
96 Tests Each 18 R S SC	
Immucard STAT!® <i>E.coli</i> O175 PLUS Rapid immunoassay for the detection of <i>E. coli</i> O157:H7 directly from stool specimens or from enriched broth culture	750530
30 Tests Each 24 R S SC	



Foodborne – *Campylobacter*


MERIDIAN CATALOG #

Premier® CAMPY EIA for the detection of <i>Campylobacter</i> antigens directly from stool specimens	618096
96 Tests Each 18 R S	
Immucard STAT!® CAMPY Rapid test for the detection of specific <i>Campylobacter</i> antigens directly from stool specimens	751530
30 Tests Each 18 R S	



Helicobacter pylori

MERIDIAN CATALOG #

 Immucard STAT!® HpSA® Rapid one-step immunoassay for the detection of <i>H. pylori</i> antigens in human stool	750220
20 Tests Each 24 R S	
Premier® Platinum HpSA® PLUS EIA for the detection of <i>H. pylori</i> antigens in stool specimens	601396
96 Microwells Each 24 R	
Immucard® <i>H. pylori</i> Rapid EIA for the detection of IgG antibody to <i>H. pylori</i> in serum	710030
30 Tests Each 14 R P SE WB	
Premier® <i>H. pylori</i> EIA for the detection of IgG antibody to <i>H. pylori</i> in serum	606096
96 Tests Each 14 R P SE	
Direct Detect® System for collection of a stool specimen	990125
25/Case RT S	



Fungal Immunodiffusion

MERIDIAN CATALOG #

Anti-Histoplasma Control Serum (Goat) for Immunodiffusion <i>Anti-Histoplasma capsulatum</i> serum for use in Fungal Immunodiffusion	100601
1 ml Each 36 R SE	
Coccidioides "F" Antigen for Fungal Immunodiffusion <i>Coccidioides immitis</i> "F" antigen for use in Fungal Immunodiffusion	100401
1 ml Each 36 R SE	
Coccidioides "F" Antigen for Fungal Immunodiffusion <i>Coccidioides immitis</i> "F" antigen for use in Fungal Immunodiffusion	100405
5 ml Each 36 R SE	
Coccidioides "TP" Antigen for Fungal Immunodiffusion <i>Coccidioides immitis</i> "TP" antigen for use in Fungal Immunodiffusion	103001
1 ml Each 24 R SE	
Anti-Coccidioides "F" Control Serum for Fungal Immunodiffusion <i>Anti-Coccidioides immitis</i> "F" serum for use in Fungal Immunodiffusion	100801
1 ml Each 36 R SE	
Anti-Coccidioides "TP" Control Serum for Immunodiffusion <i>Anti-Coccidioides immitis</i> "TP" serum for use in Fungal Immunodiffusion	103101
1 ml Each 24 R SE	
Fungal Immunodiffusion Plates - 1 Series Agarose plates for the use in Fungal Immunodiffusion - 1 series	101012
1 Series (12 plates/pack) 18 R SE	
Fungal Immunodiffusion Plates - 4 Series Agarose plates for the use in Fungal Immunodiffusion	101009
4 Series (9 plates/pack) 18 R SE	
Histoplasma Antigen for Fungal Immunodiffusion <i>Histoplasma capsulatum</i> antigen for use in Fungal Immunodiffusion	100201
1 ml Each 36 R SE	



Immunology – Epstein-Barr Virus

MERIDIAN CATALOG #

Merifluor® EBV VCA IgG IFA IFA test for the detection of EBV-VCA IgG antibody	EB100
10 slides X 10 wells/slide Each 15 R SE	
Merifluor® EBV VCA IgM IFA IFA test for the detection of EBV-VCA IgM antibody	EB150
10 slides X 10 wells/slide Each 15 R SE	
Merifluor® EBV-EA IgG IFA IFA for the qualitative and quantitative detection of antibodies to EBV early antigen (EA)	EA101
10 slides X 10 wells/slide Each 15 R SE	
Merifluor® EBV-NA (Ab ACIF) IFA for the qualitative or quantitative detection of antibodies to the EBV nuclear antigen (NA)	EN100
10 slides X 10 wells/slide Each 15 R SE	
GullISORB™ 5ml, Diluted Reagent for the inactivation of IgG antibodies in human serum	XX715
5 ml Each 24 R	

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
R=Refrigerated
RT=Room Temp

● Specimen Type

A = Nasal Aspirate; B= Bronchoalveolar lavage; C= Culture; CC= Cell Culture; CF= Cerebrospinal Fluid; CT= Cutaneous; IS= Induced Sputum; MC= Mucocutaneous; NS= Nasal Swab; NP= Nasopharyngeal Swab; NW= Nasal Wash; P = Plasma; S= Stool; SB= Smears & Biopsy; SC= Stool Culture; SE= Serum; SW= Swab; TS= Throat Swab; U= Urine; WB= Whole Blood



Mononucleosis

MERIDIAN CATALOG #



Immunocard STAT!® MONO

755725

Rapid immunoassay for the detection of heterophile antibodies specific to Infectious Mononucleosis (IM)

25 Tests Each 9 RT P SE WB

Monospot® Latex

776150

Rapid latex test for the detection of heterophile antibodies specific to Infectious Mononucleosis (IM)

50 Tests Each 16 R SE P



Pregnancy

MERIDIAN CATALOG #



Immunocard STAT!® hCG Combo

755425

Rapid immunoassay for the detection of human chorionic gonadotropin (hCG) in human urine and serum

25 Tests Each 16 RT SE U WB



Respiratory

MERIDIAN CATALOG #

Immunocard STAT!® FLU A&B

782030

ImmunoCard STAT!® FLU A&B is a rapid CLIA waived assay for the detection and differentiation of influenza A and influenza B from nasal nasopharyngeal swabs. Accurate results can be obtained in 10-15 min.

32 Tests Each 24 R NP NS

Immunocard STAT!® FLU A&B Aspirate/Nasal Wash Accessory Kit

781130

ImmunoCard STAT!® FLU A&B can also be used to test aspirates/nasal washes samples and is compatible with viral transport media. Accurate results can be obtained in 10-15 min.

32 Tests Each 24 R A NW

TRU FLU®

751230

Rapid immunoassay for the detection and differentiation of Influenza A&B

32 Tests Each 42 RT A NP NS NW

TRU RSV

751330

Rapid immunoassay for the detection of Respiratory Syncytial Virus

32 Tests Each 18 RT A NP NS NW

FLU/RSV Positive Control

751110

External QC material for use with TRU FLU and TRU RSV

30 Uses Each 18 R

TRU LEGIONELLA®

751930

Rapid assay for the detection of Legionella pneumophila Serogroup-1 in human urine

32 Tests Each 24 R U

Immunocard® Mycoplasma

709030

Rapid EIA for the detection of IgM antibody to Mycoplasma pneumoniae

30 Tests Each 18 R SE

Merifluor® Pneumocystis

222030

Immunofluorescent assay for the detection of Pneumocystis carinii cysts and trophozoites

30 Tests Each 18 R B IS



Rotavirus/Adenovirus

MERIDIAN CATALOG #

Immunocard STAT!® Rotavirus

750030

Rapid immunoassay for the detection of rotavirus antigen in human stool

30 Tests Each 18 R S

Premier® Rotaclone®

696004

Qualitative EIA for the detection of rotavirus antigen in human stool

48 Tests Each 18 R S

Premier® Adenoclone®

696007

Qualitative EIA for the detection of adenoviruses in human stool

48 Tests Each 18 R S CC

Premier® Adenoclone® - Type 40/41

696006

Qualitative EIA for the detection of enteric adenovirus serotypes 40 and 41 in human stool

48 Tests Each 18 R S



Streptococcus

MERIDIAN CATALOG #



Immunocard STAT!® Strep A

755250

Rapid immunoassay for the detection of Group A Streptococcal antigen from throat swab

50 Tests Each 10 RT TS C



Viral DFAs

MERIDIAN CATALOG #

Meridian Viral Transport

505021

Transport system containing all materials necessary to collect and transport clinical specimens for viral isolation

100/Box Each 18 RT

Merifluor® VZV

500113

DFA for the detection of Varicella-Zoster virus in vesicle smears, biopsies, and VZV cell culture

3 ml Stain and 5 ml Mounting Media Each 15 R C SB

Merifluor® Phosphate Buffered Saline

500500

Calcium and Magnesium free Phosphate-buffered saline, pH 7.4 - 0.2

Makes 1 Liter Each 18 RT

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
R=Refrigerated
RT=Room Temp

● **Specimen Type**
A = Nasal Aspirate; **B** = Bronchoalveolar lavage; **C** = Culture; **CC** = Cell Culture; **CF** = Cerebrospinal Fluid; **CT** = Cutaneous; **IS** = Induced Sputum; **MC** = Mucocutaneous; **NS** = Nasal Swab; **NP** = Nasopharyngeal Swab; **NW** = Nasal Wash; **P** = Plasma; **S** = Stool; **SB** = Smears & Biopsy; **SC** = Stool Culture; **SE** = Serum; **SW** = Swab; **TS** = Throat Swab; **U** = Urine; **WB** = Whole Blood

LEADCARE



LeadCare II

	MERIDIAN CATALOG #
LeadCare II Analyzer Kit <i>System for the determination of lead in whole blood. Provides quantitative results in 3 min.</i>	70-6760
Lead Care II, Blood Lead Test Kit <i>The kit consists of 48 sensors, 48 tubes of treatment reagent, capillary tubes and plungers, transfer droppers, 2 levels of quality control, and a calibration button.</i>	70-6762
48 Test/Kit	
Printer Seiko Smart Label Printer	70-3447
Printer labels, 1 1/2 X 3" <i>For SLE450 or earlier (2 rolls per pack, 130 labels per roll)</i>	70-3443
Printer labels, 2 1/4 x 4" (For use with printers purchased after 11/01/2015) <i>For SLP650 SE (1 roll per pack, 220 labels per roll)</i>	80-0195



LeadCare Ultra

	MERIDIAN CATALOG #
LeadCare Ultra Blood Lead Testing System <i>Consists of the analyzer kit and the computer kit. The system can run 1-6 samples at a time.</i>	70-8040
LeadCare Ultra Test Kit <i>The kit consists of 192 sensors, 192 tubes of treatment reagent, 2 levels of quality control, and a calibration button.</i>	70-8098
192 Test/Kit	



LeadCare Plus

	MERIDIAN CATALOG #
LeadCare Plus Analyzer <i>Moderately complex systems for the determination of lead in whole blood. Provides quantitative results in 3 min.</i>	82-0001
LeadCare Plus Test Kit <i>The kit consists of 96 sensors, 96 tubes of treatment reagent, 2 levels of quality control, and a calibration button.</i>	82-0004
96 Tests/Kit	
LeadCare Plus Data Management System (DMS) <i>Allows the collection, storage, sorting, and printing of results and facilitates the transmission of results to an LIS/EMR system using an HL7 interface.</i>	82-0003

For Lead Care product order inquiries, please contact a specialist at 800-959-5095 or fax: 800-755-5095

-To place an order, call your preferred distributor or talk to your Meridian product specialist at 1888.763.6769
www.meridianbioscience.com

PARASITOLOGY



Para-Pak® Stool Transports

	MERIDIAN CATALOG #
One-Vial Stool Transports	
LV-PVA <i>Stool transport vials containing low viscosity polyvinyl alcohol</i>	900112
120 Vials/Case	
SAF <i>Stool transport vials containing sodium acetate formalin</i>	900212
120 Vials/Case	
Clean Vial <i>Stool transport vials without preservative</i>	900312
120 Vials/Case	
10% Formalin <i>Stool transport vials containing 10% formalin</i>	900412
120 Vials/Case	
C&S <i>Stool transport vials containing C&S media (modified Cary-Blair with 0.15% Agar) for transport of enteric pathogens</i>	900612
120 Vials/Case	
Enteric Plus <i>Stool transport vials containing Enteric Plus media (modified Cary-Blair with 0.4% Agar) for transport of enteric pathogens</i>	900812
120 Vials/Case	
Zn-PVA <i>Stool transport vials containing Zinc polyvinyl alcohol</i>	901012
120 Vials/Case	
EcoFix® <i>Eco-friendly stool transport vials, formaldehyde-free and mercury-free</i>	901312
120 Vials/Case	
Ultra SAF <i>Stool transport vials containing sodium acetate formalin with filtration in the cap</i>	980212
120 Vials/Case	

-To place an order, call your preferred distributor or talk to your Meridian product specialist at 1888.763.6769
www.meridianbioscience.com

KEY

● **Max. Shelf Life (months)** This is the maximum shelf life of the product as its date of manufacture. One should not assume that shipped product will have a shelf life equivalent to this maximum value. This is a value given purely as reference.

● **Storage Requirements**
 R=Refrigerated
 RT=Room Temp

● **Specimen Type**
 A = Nasal Aspirate; B = Bronchoalveolar lavage; C = Culture; CC = Cell Culture; CF = Cerebrospinal Fluid; CT = Cutaneous; IS = Induced Sputum; MC = Mucocutaneous; NS = Nasal Swab; NP = Nasopharyngeal Swab; NW = Nasal Wash; P = Plasma; S = Stool; SB = Smears & Biopsy; SC = Stool Culture; SE = Serum; SW = Swab; TS = Throat Swab; U = Urine; WB = Whole Blood



Para-Pak® Parasitology Stains

	MERIDIAN CATALOG #
EcoStain® Stain set for use with EcoFix® and non-mercury PVA preservatives 350-400 Slides 18 RT S	801400
Trichrome Stain Stain used for identification of parasites 1 x 500 ml Bottle 18 RT S	400101
Trichrome Stain Stain used for identification of parasites 12 x 500 ml Bottle 18 RT S	400112
Trichrome Blue Stain Stain used for identification of Microsporidia 1 x 500 ml Bottle 18 RT S	400501
Hemo-De Reagent used in the EcoStain® procedure 1 x 400 ml Bottle 36 RT	801300
Modified Hemo-De Reagent used in the EcoStain® procedure 1 x 200 ml Bottle 24 RT	801600
Mayer's Albumin For use in O&P staining when preserved with SAF fixative 1 x 3 ml Bottle 36 RT	800700



Para-Pak® Stool Concentration Systems

	MERIDIAN CATALOG #
CON-Trate® Concentration System Concentration system containing 15 ml tubes, caps, funnel filters and reagent 50 Sets/Case 36 RT S	960050
CON-Trate® Concentration System Concentration system containing 15 ml tubes, caps, funnel filters and reagent 200 Sets/Case 36 RT S	960200
CON-Trate® Concentration System Concentration system containing 15 ml tubes, caps, funnel filters and reagent 500 Sets/Case 36 RT S	960500
CON-Trate® Tubes and Caps Concentration system containing 15 ml tubes, and caps 500 Sets/Case RT S	800400
CON-Trate® Filters Funnel filters and reagent A 400 Sets/Case 36 RT S	960400
Para-Pak® Ethyl Acetate Reagent used during concentration procedure 1 x 225 ml Bottle 18 RT	FK4318
Macro-CON® Concentration System Closed concentration system containing 50 ml tubes with filter, caps and reagent 120 Sets/Case 36 RT S	970120
SpinCon® Concentration System Ethyl-acetate free, one-spin system containing 15 ml tubes with double filter, caps, funnel filters and surfacant 200 Sets/Case 36 RT S	972200
SpinCon® Concentration System Ethyl-acetate free, one-spin system containing 15 ml tubes with double filter, caps, funnel filters and reagent A 500 Sets/Case 36 RT S	972500
SpinCon® Concentration System Ethyl-acetate free, one-spin system containing 15 ml tubes with double filter, and caps 500 Sets/Case RT S	973500



WORLD HEADQUARTERS

3471 River Hills Drive
Cincinnati, Ohio 45244
Tel: 1-513-271-3700
Orders/Customer Service: 1-800-543-1980
Ordering Fax: 1-513-271-0124
E-mail: mbi@meridianbioscience.com

MERIDIAN BIOSCIENCE EUROPE

Belgium/Luxembourg	Tel: +32 (0)6789 5959
France	Tel: +33 (0)1 4256 0440
Germany	Tel: +49 (0)3371 60 222 31
Italy	Tel: +39 0331 43 3636
Netherlands	Tel: +31 (0)411 62 11 66
United Kingdom	Tel: +44 (0)20 8453 7970

www.meridianbioscience.com

meridian BIOSCIENCE™
LIFE DISCOVERED. LIFE DIAGNOSED.